


SUPPLEMENT TO

The Gazette



of India

No. 31] NEW DELHI, SATURDAY, AUGUST 8, 1953

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 11th July 1953

CHOLERA						SMALLPOX				PLAGUE				CHOLERA						SMALLPOX				PLAGUE			
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.	
STATES PART (A) AND PART (C)												Bihar— <i>contd.</i>															
Ajmer												Monghyr															
No incidence.												Bhagalpur															
Assam												Saharsa															
Barhar												Purnea															
Barasati and Jaintia Hills												Santal Parganas															
Barak Hills												Hazaribagh															
Barpara												Ranchi															
Barpeta												Manbhum															
Barsoi												Palamau															
Barsoi												Singhbhum															
Barsoi												[TOTAL															
Estd. mid-year pop. 9,488 thousands).												(Estd. mid-year pop. 41,076 thousands).															
Total for w/e 4-7-53												Total for w/e 4-7-53															
Total for w/e 27-6-53												Total for w/e 27-6-53															
7-yearly mean for the week.												7-yearly mean for the week.															
Bombay												Bombay															
Greater Bombay												Greater Bombay															
Ahmedabad												Ahmedabad															
Kaira												Kaira															
Broach												Broach															
Panch Mahals												Panch Mahals															
Surat												Surat															
Thana												Thana															
Satara South												Satara South															
Ahmednagar												Ahmednagar															
East Khandesh												East Khandesh															
West Khandesh												West Khandesh															
Amreli												Amreli															
Nasik												Nasik															
Poona												Poona															
Satara North												Satara North															
Sholapur												Sholapur															
Sabarkantha												Sabarkantha															
Bolksum												Bolksum															
Bijapur												Bijapur															

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 11th July 1953—*contd.*

CHOLERA								SMALLPOX								PLAGUE																				
C.								D.								C.								D.												
Bombay—contd.																Madhya Pradesh—contd.																				
Dharwar	Bastar							
Kanara	Burgula							
Ratnagiri	Raigarh							
Kolaba	Amravati	.	.	.	3	2							
Kolhapur	Yeshmal	.	.	.	7	3							
Baroda	1	1	Akola							
Nasari	Buldana							
Dangs	TOTAL																				
Malwan	383	209	2								
Mehsana	(Estd. mid-year pop. 21,724 thousands.)																				
Banaskantha	Total for w/e 4-7-53	308	131	5	2								
TOTAL								742	216	36	7	Total for w/e 27-6-53	510	208	3	2							
(Estd. mid-year pop. 37,445 thousands.)																7-yearly mean for the week								146	68	95	17					
Total for w/e 4-7-53	.	595	176	97	20	Madras																					
Total for w/e 27-6-53	.	475	140	69	14	Visakhapatnam	.	54	22								
7-yearly mean for the week	.	95	38	127	24	6	2	Srikakulam																.	4	4	4	1
Goorg																East Godavari								.	17	12	9	2
No incidence.																West Godavari								.	2	1	2
Delhi																Krishna								.	1	1	11	3
Delhi City	.	.	.	1	Guntur	4	2								
New Delhi	Nellore	.	2	2	16	2								
Delhi Notified Area	.	.	.	1	Ouddappah	.	10	7	4	3								
New Delhi Cantt.	Kurnool	.	.	.	23	6								
West Delhi N. A. C.	Bellary	.	.	.	5	3								
Rural Circles	.	.	.	1	Anantapur	.	.	.	11	1								
TOTAL								.	.	3	Madras City	.	.	.	1								
(Estd. mid-year pop. 1,744 thousands.)																Chingleput								.	4	2	11	4			
Total for w/e 4-7-53	.	.	.	2	Chittoor	.	1	1	5	4								
Total for w/e 27-6-53	.	.	.	3	1	North Arcot	.	.	.	10	3								
7-yearly mean for the week	.	.	.	8	3	Salem	.	1	.	1	1								
Himachal Pradesh																Coimbatore								.	1	.	1				
Information not received.																South Arcot								.	47	31	1	1			
Madhya Pradesh																Tanjore								.	.	.	2	
Nagpur	Tiruchirappalli	.	10	5	6								
Wardha	Mathurai	.	15	5								
Chanda	.	.	107	45	Ramnathapuram	.	28	12								
Udhindwara	Tirunelveli	.	121	83								
Betul	.	.	33	20	Nilgiris	.	.	.	1									
Bhandara	Malabar									
Jabalpur	.	.	117	83	South Kanara									
Sagar	TOTAL																					
Mandla	318	188	128	33									
Hoshangabad	.	.	56	37	2	(Estd. mid-year pop. 58,610 thousands.)																					
Nimar	.	.	44	10	Total for w/e 4-7-53	261	144	72	31									
Belaghat	.	.	5	2	Total for w/e 27-6-53	173	95	119	34									
Raipur	.	.	11	7	7-yearly mean for the week																					
Bilaspur	585	232	285	65	3	1										
Durg	Manipur																					
																No incidence.																				

Explanation of Symbols used: C.—Cases; D.—Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 11th July 1953—*contd.*

	CHOLERA		SMALLPOX		PLAGUE			CHOLERA		SMALLPOX		PLAGUE	
	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.
Orissa							Uttar Pradesh— <i>contd.</i>						
Balk	4	...	1	Mathura	2	1
Borse	3	1	Agra
Balpur	25	16	Mainpuri	...	4	2
Bdmals	2	Etah
Bem Plains	2	2	Bareilly
Bem Agency	Bijnor
Bput	Budaun	...	2	1
Bjbar	2	1	4	Moradabad
Bkanal	4	Shahjahanpur
Bngir Patna	Pilibhit
Bergarh	1	Farrukhabad
Bhandi	5	Stawah	2	1
Bul	Kanpur	...	12	6	...	1	...
Burbhanj	5	Fatehpur
TOTAL	36	20	22	Allahabad
Std. mid-year pop. 4,849 thousands)							Jhansi	...	9	4
Total for w/e 4-7-53	53	28	73	16	Jalaun	...	43	17
Total for w/e 27-6-53	90	51	88	20	Hamirpur	...	7	6
7-yearly mean for the week	100	57	109	21	Banda
Punjab (I)							Banaras
Baf	Mirzapur	...	12	5	1
Btak	1	Jaunpur	...	16	6
Bgaon	Ghazipur
Bgnal	3	1	Ballia	...	9	5
Bbala	9	Gorakhpur	3
Bola	Deoria	...	10	5
Bngra	Basti
Bbharpur	1	Azamgarh	...	2	2
Blundur	Nainital
Bhlana	Almora
Bosepur	10	1	Garhwal
Britsar	3	3	Lucknow
Bdeapur	Unao
TOTAL	26	6	Rae Bareilly	...	18	1
Std. mid-year pop. 12,649 thousands)							Sitapur
Total for w/e 4-7-53	42	12	Hardoi	...	4	3
Total for w/e 27-6-53	36	11	Kheri
7-yearly mean for the week	10	7	15	6	Faizabad
Tripura							Gonda
No incidence.							Bahraich
Uttar Pradesh							Sultanpur
Bhra Dun	Pratapgarh
Baranpur	Bara Banki	...	14	5
Baffarnagar	2	5	Rampur
Bruft	TOTAL	...	162	71	9	8	...
Bandahar	(Std. mid-year pop. 64,826 thousands).						
Bgarh	2	Total for w/e 4-7-53	...	120	54	14	4	...
							Total for w/e 27-6-53	...	127	59	4	4	...
							7-yearly mean for the week	...	341	169	88	26	...

Explanation of Symbols used: C. = Cases; D. = Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 11th July 1953—*contd.*

CHOLERA								SMALLPOX								PLAGUE															
C.								D.								C.								D.							
Vindhya Pradesh								STATES PART (B)								Hyderabad															
TOTAL								183	122	Aurangabad								77	46			
(Estd. mid-year pop. 3,630 thousands).																Farbhani								37	15		
Total for w/e 4-7-53								221	77	Bhir								8	1				
Total for w/e 27-6-53								185	96	Gulberga											
West Bengal																Machheri									
Burdwan								69	26	3	Bidar								3	1				
Birbhum								21	11	Osmanabad								11	3				
Bankura								40	20	Wartangal											
Midnapur								86	42	Karimnagar								10	7				
Hooghly								38	15	Adilabad								26	10				
Howrah								114	71	Nizamabad								3	3				
24-Parganas								193	87	1	1	Medak								1	1				
Calcutta								290	104	7	4	Nalgonda											
Nadia								11	10	Mahbubnagar											
Murshidabad								2	1	Hyderabad											
Malda								1	Nanded								107	37				
West Dinajpur								TOTAL								283	124				
Jalpaiguri								2	1	Jammu & Kashmir								Information not received.									
Darjeeling								Madhya Bharat								Information not received.									
Cooch Behar								2	2	2	2	Mysore																	
Chandernagore								Bangalore								5	1	13	3				
TOTAL								881	389	15	8	Chikmagalur								5	1				
(Estd. mid-year pop. 25,475 thousands.)																Chitaldrug									
Total for w/e 4-7-53								1,135	516	12	5	Hassan											
Total for w/e 27-6-53								1,041	457	10	2	Kadur											
7-yearly mean for the week								266	107	66	31	Kolar								4				
Grand Total for States Parts (A) & (C) (excluding Himachal Pradesh)								2,976	1,325	257	70	Mandya								1	1	5				
(Estd. mid-year pop. 2,94,603 thousands)																Mysore								2	1		
Total for w/e 4-7-53								2,892	1,211	335	95	Shimoga											
Total for w/e 27-6-53								2,654	1,128	382	103	Tumkur								14	5				
7-yearly mean for the week								1,647	909	841	205	9	3	TOTAL								10	2	39	10				
Explanation of Symbols used C=Cases D=Deaths.																															

CHOLERA		SMALLPOX		PLAGUE				CHOLERA		SMALLPOX		PLAGUE	
C.	D.	C.	D.	C.	D.	—		C.	D.	C.	D.	C.	D.
1	1	1	1	1	1			1	1	1	1	1	1
2	2	2	2	2	2			2	2	2	2	2	2
3	3	3	3	3	3			3	3	3	3	3	3
4	4	4	4	4	4			4	4	4	4	4	4
5	5	5	5	5	5			5	5	5	5	5	5
6	6	6	6	6	6			6	6	6	6	6	6
7	7	7	7	7	7			7	7	7	7	7	7
8	8	8	8	8	8			8	8	8	8	8	8
9	9	9	9	9	9			9	9	9	9	9	9
10	10	10	10	10	10			10	10	10	10	10	10
11	11	11	11	11	11			11	11	11	11	11	11
12	12	12	12	12	12			12	12	12	12	12	12
13	13	13	13	13	13			13	13	13	13	13	13
14	14	14	14	14	14			14	14	14	14	14	14
15	15	15	15	15	15			15	15	15	15	15	15
16	16	16	16	16	16			16	16	16	16	16	16
17	17	17	17	17	17			17	17	17	17	17	17
18	18	18	18	18	18			18	18	18	18	18	18
19	19	19	19	19	19			19	19	19	19	19	19
20	20	20	20	20	20			20	20	20	20	20	20
21	21	21	21	21	21			21	21	21	21	21	21
22	22	22	22	22	22			22	22	22	22	22	22
23	23	23	23	23	23			23	23	23	23	23	23
24	24	24	24	24	24			24	24	24	24	24	24
25	25	25	25	25	25			25	25	25	25	25	25
26	26	26	26	26	26			26	26	26	26	26	26
27	27	27	27	27	27			27	27	27	27	27	27
28	28	28	28	28	28			28	28	28	28	28	28
29	29	29	29	29	29			29	29	29	29	29	29
30	30	30	30	30	30			30	30	30	30	30	30
31	31	31	31	31	31			31	31	31	31	31	31
32	32	32	32	32	32			32	32	32	32	32	32
33	33	33	33	33	33			33	33	33	33	33	33
34	34	34	34	34	34			34	34	34	34	34	34
35	35	35	35	35	35			35	35	35	35	35	35
36	36	36	36	36	36			36	36	36	36	36	36
37	3												

Explanation of Symbols used—O—Cases; D—Deaths.

CHOLERA		SMALLPOX		PLAGUE	
C.	D.	C.	D.	C.	D.

POLIOMYELITIS

Places	Period	Cases
Delhi State	1—15 July, 1953	4 (Paretic)
Punjab (I)	1—15 July, 1953	7 (,,)
Punjab (I)	16—30 June, 1953	19 (,,) 2 (Non-paretic)

K. MITRA,
for *Registrar General, India.*

TODAY'S BEST INVESTMENT FOR SMALL SAVERS

NATIONAL SAVINGS CERTIFICATES

Available in three different series, maturing after 5, 7 and 12 years. The yield is 3%, 3.57% and 4.16% simple interest, respectively, at maturity. Thus, in the 12 year-certificates money increases by 50% on maturity. Interest is free of income-tax and super-tax and is not taken into account in arriving at the total taxable income.

The certificates are obtainable from Post Offices doing Savings Bank business in denominations of Rs. 5, 10, 50, 100, 500, 1,000 and 5,000. An individual can invest upto Rs. 25,000 and two joint holders upto Rs. 50,000/-

Deposits accepted in multiples of Rs. 100 upto a maximum of Rs. 25,000 for a single depositor and Rs. 50,000 for two persons jointly. Interest at 3½% per annum, free of income-tax and super-tax and which is not taken into account in assessing the total taxable income, is paid or remitted to the depositor's address every year. Deposits accepted at offices of the Reserve Bank of India at Bombay, Calcutta, Delhi and Madras and Branches of the Imperial Bank of India at other places transacting treasury business. Deposits are also accepted at all Treasuries in Part 'A' States at places where the Imperial Bank does not transact treasury business and at all Sub-Treasuries in Part 'A' States; also at Treasuries at Bhuj (Kutch), Imphal (Manipur) and Coorg-Mercara (Coorg).

3½%

TEN-YEAR TREASURY SAVINGS DEPOSITS

For further information and/or rules governing these investments please write to the Provincial National Savings Officer of your State or the National Savings Commissioner, Gorton Castle, Simla-3.

AC 444

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 11th July, 1953

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	Deaths from :—									Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.					
STATES—(Parts A and C)															
Ajmer															
Ajmer	208	88	22.0	—	..	—	8	—	4	—	27	6.7	5		
Beawar	54	15	14.4	—	..	—	3	—	2	—	9	8.7	1		
TOTAL	262	103	20.4	—	11	..	6	—	36	7.1	6		
Assam															
Dibrugarh	41	4	5.5	—	—	—	—	—	—	—	—		
Gauhati	47	8	7.8	—	—	—	8	—	—	..	10	9.1	1		
Silohar	38	10	13.7	—	—	—	4	1	—	—	7	9.6	—		
Shillong†															
TOTAL	126	22	9.1	—	—	—	12	1	—	—	17	7.0	1		
Bhopal															
Bhopal City	108	42	20.2	—	—	—	2	1	1	..	4	1.9	—		
Bihar															
Return not received.															
Bombay															
Ahmedabad	832	618	40.8	..	—	—	11	7	66	1	245	16.3	55		
Ahmednagar	84	56	34.7	12	—	—	2	7	7	1	44	27.2	12		
Amalner	47	34	37.6	1	—	—	12	5	..	—	24	26.5	11		
Bagalkot	34	20	44.3	—	—	—	3	1	1	2	9	13.8	..		
Baroda	225	168	33.8	—	—	—	29	1	4	1	70	16.1	23		
Barai	44	16	18.9	—	—	—	7	—	1	—	20	23.6	6		
Belgaum	105	65	32.2	—	1	..	4	3	3	—	35	17.3	13		
Bhusawal	57	31	28.3	—	—	—	4	—	1	1	11	10.0	1		
Bijapur	70	44	32.7	—	4	1	—	—	9	6.7	—		
Broach	65	41	32.8	—	—	—	4	—	6	—	17	13.6	1		
Cambay	40	35	45.5	—	..	—	4	..	—	—	10	13.0	3		
Chalisgaon	32	18	29.2	12	—	—	6	1	3	1	25	40.6	2		
Dharwar	71	49	35.9	—	1	2	..	1	23	16.8	4		
Dhulla	82	26	17.5	—	—	..	10	2	4	..	26	17.6	7		
Gadag-Betgeri	68	30	22.9	—	—	—	9	2	3	—	37	28.3	5		
Godhra	40	58	75.4	—	—	—	10	13	16.9	..		
Greater Bombay	3,106	1,446	24.3	—	5	—	5	28	183	2	756	12.6	215		
Hubli	137	63	23.9	—	—	—	2	1	5	1	19	6.5	3		
Jalgaon	73	27	19.2	4	—	—	9	1	3	..	24	17.1	3		
Kalyan	65	33	28.4	2	—	8	—	11	8.8	..		
Kolhapur	147	100	37.5	4	1	9	..	47	16.6	6		
Nandurbar	32	31	50.4	3	—	8	13.4	3		
Malegaon	59	47	43.1	—	—	—	23	3	2	..	34	30.0	7		
Miraj	42	16	19.8	—	—	1	1	—	9	11.0	1		
Nadlad	66	41	32.0	—	..	—	18	..	1	..	26	20.3	14		
Nasik	107	63	30.6	—	—	—	6	3	2	1	31	15.1	6		
Navasari	47	26	28.8	—	—	—	3	—	7	7.7	2		
Pandharpur	42	20	24.8	—	—	—	4	8	5	—	21	26.0	8		
Patan	45	28	32.3	—	—	..	6	1	1	—	16	18.4	7		
Poona	539	306	29.5	—	..	—	3	2	34	3	143	13.8	44		
Sangli	54	16	15.4	—	—	—	6	2	2	—	19	18.3	3		
Satara	39	42	56.0	—	—	..	2	..	1	—	13	17.3	..		
Sholapur	281	181	33.5	—	—	—	17	3	36	3	107	19.8	28		
Surat	335	179	39.6	..	—	—	10	2	14	—	76	16.8	24		
Thana†															
TOTAL	7,012	3,983	29.5	29	6	—	243	93	401	17	1,985	14.7	517		
Delhi State															
Delhi City	1,006	601	31.1	—	—	—	60	4	16	1	114	5.9	31		
New Delhi	319	190	30.9	—	—	—	16	3	16	1	67	10.9	9		
TOTAL	1,325	791	31.0	—	—	—	76	7	32	2	181	7.1	40		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 11th July, 1953—*contd.*

Town	Mid.-year. Popn. Est. (000)	B.	B.R.*	Deaths from :—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Madhya Pradesh														
Achalpur
Akola
Amravati
Bilaspur
Burhanpur
Chanda
Damoh†
Gondia
Jabalpur
Kamptee
Khandwa
Nagpur
Raipur
Sagar†
Wardha†
Yeotmal
TOTAL
Madras														
Adoni
Ambur
Anakapalle
Aruppukottai
Anantapur
Bellary
Bhimavaram
Bodinayakanur
Chidambaram
Cochin Fort
Cannanore
Chirala
Coimbatore
Chittoor
Cuddalore
Cuddapah
Dindigul
Eluru
Erode
Gobichettipalayam
Gudivada
Guntakal
Guddiyattam
Guntur†
Hospet
Kancheepuram
Kakinada
Karaikudi
Karur†
Kozhikode
Kumbakonam
Kurnool
Madras
Mangalore
Masulipatnam
Mathurai
Mayuram
Malapalayam
Nandyal
Nagapattinam
Nellore
Ootacamund
Palyamkottai
Palghat
Proddatur
Pudukottai
Pollachi

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.=Births, B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R. D.=Respiratory Diseases, M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 11th July, 1953—*contd.*

Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	Deaths from—										Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.						
Madras— <i>contd.</i>																
Palani	37	15	21.1	—	—	—	—	3	5	—	21	29.5	3			
Periyakulam	32	16	26.0	—	—	—	—	—	1	2	9	14.0	—			
Rajamundry	112	86	39.9	—	—	—	4	1	4	1	29	13.4	8			
Salem	219	114	27.0	—	—	—	5	1	8	1	56	13.3	7			
Srivilliputtur	42	25	30.9	—	—	—	2	3	4	—	26	32.2	5			
Srirangam	89	50	66.6	—	—	—	—	1	—	—	7	9.3	1			
Tanjore	108	109	52.5	—	—	—	2	1	9	1	39	18.7	6			
Tellicherry	41	29	36.8	—	—	—	—	1	5	—	15	19.0	5			
Tenali	62	48	40.2	—	—	—	1	3	3	1	21	17.6	5			
Tiruchirappalli	233	82	18.3	—	—	—	1	3	4	—	45	10.0	2			
Tirunelveli	76	53	36.2	—	—	—	—	2	3	—	22	15.0	6			
Tiruppur	57	39	35.5	—	—	—	2	—	4	—	16	14.6	3			
Tiruvannamalai	42	30	37.1	—	—	—	—	1	4	—	11	13.6	—			
Rajapalayam	64	37	30.0	—	—	—	—	2	3	—	12	9.7	4			
Tuticorin	104	54	27.0	—	—	—	5	4	5	—	33	16.5	9			
Vaniyambadi	40	23	30.0	—	1	—	—	1	3	—	13	16.9	2			
Vellore†																
Vijayavada	179	79	23.0	—	—	—	4	—	1	—	23	7.3	6			
Virudunagar	49	57	60.4	—	—	—	—	2	3	—	20	21.2	7			
Visakhapatnam	117	49	21.7	—	—	—	2	2	2	1	22	9.7	4			
Vizianagaram	71	41	30.0	—	—	—	2	2	4	—	24	17.5	7			
Villupuram	37	32	45.0	—	—	—	2	3	2	—	10	14.0	3			
TOTAL	6,341	4,407	36.2	1	8	—	209	238	408	28	2,227	18.3	507			
Orissa																
Berhampur	67	35	27.2	—	—	—	—	4	—	—	14	10.9	4			
Cuttack	109	75	35.9	—	—	—	7	4	5	—	23	11.0	8			
Puri	51	15	15.3	—	—	—	5	—	1	—	24	24.8	9			
TOTAL	227	125	28.6	—	—	—	12	8	6	—	61	14.0	21			
Punjab (I)																
Ambala	61	34	29.1	—	—	—	8	1	3	—	16	13.7	6			
Amritsar	317	198	32.6	—	—	—	4	5	33	—	97	16.0	24			
Batala	59	29	25.6	—	—	—	10	—	—	1	12	10.6	5			
Bhiwani	54	51	49.2	—	1	—	3	—	5	—	9	8.7	2			
Ferozepore	41	18	22.9	—	—	—	2	2	1	—	8	10.2	—			
Hissar	37	23	32.4	—	—	—	1	—	—	—	2	2.8	1			
Hoshiarpur	48	19	20.6	—	—	—	2	1	—	—	4	4.3	2			
Jullundur	182	99	28.4	—	—	—	9	2	3	—	23	7.2	5			
Karnal	61	51	43.6	—	—	—	11	—	—	—	12	10.3	3			
Ludhiana	164	91	28.9	—	—	—	16	—	—	—	26	8.3	8			
Moga	39	26	34.8	—	—	—	2	—	2	—	0	8.0	1			
Patna†	59	21	18.6	—	—	—	1	—	2	2	8	7.1	—			
Pathankot	33	11	17.4	—	—	—	2	—	3	—	6	9.5	3			
Rewari	35	17	25.3	—	—	—	5	—	2	—	8	11.9	4			
Rohatak	73	46	32.9	—	—	—	2	—	—	—	5	3.6	2			
Simla	47	40	44.4	—	—	—	—	—	2	—	9	10.0	6			
Sonepat	31	13	21.9	—	—	—	1	—	1	—	2	3.4	1			
TOTAL	1,341	787	30.6	—	1	—	81	11	57	3	253	9.9	73			
Uttar Pradesh																
Agra	352	361	53.5	—	—	—	4	6	42	—	89	13.2	25			
Allahabad	329	129	20.4	—	—	—	8	2	21	—	57	9.0	20			
Amroha	60	60	52.1	—	—	—	8	2	5	—	24	20.9	7			
Bahraich	45	16	18.5	—	—	—	1	—	—	—	3	3.5	—			
Balla	32	9	14.7	—	—	—	2	1	1	—	7	11.4	2			
Banaras	358	222	32.3	2	—	—	43	12	18	1	147	21.4	24			
Banda	31	16	26.9	—	—	—	1	—	—	—	3	5.0	—			
Bareilly	198	57	15.0	—	—	—	12	6	6	—	29	7.6	5			
Basti†																
Bijnor†																
Budaun	53	35	34.4	—	—	—	10	—	5	—	18	17.7	3			
Bulan shah†																

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 11th July, 1953—*contd.*

Town	Mid.-year Popn. Est. (000)	B.	B.R.*	Deaths from :—										Total D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.					
Uttar Pradesh— <i>contd.</i>															
Allahabad	39	45	60.2	2	2	5	6.7	1	
Delhi-Dun	130	30	12.0	6	1	3	15	6.8	1	
Itanagar	62	47	39.5	8	2	2	18	13.2	3	
Meerut	81	..	12.9	2	..	1	7	4.5	1	
Meerut-Fatehgarh	78	41	27.4	6	..	3	14	12.0	..	
Meerut	71	21	14.7	1	..	1	3	2.2	..	
Meerut	42	7	21.1	4	1	5	7.4	2	
Meerut	95	20	20.8	5	..	2	12	17.9	5	
Meerut	34	5	12.3	2	4	6.1	2	
Meerut	131	68	27.1	9	3	5	27	10.7	9	
Meerut	46	..	13.1	20	1	22	24.0	10	
Meerut	30	11	26.9	13	1	20	22.6	4	
Meerut	59	23	46.0	8	1	3	20	17.7	5	
Meerut	54	23	22.2	4	1	1	10	9.7	..	
Meerut	111	92	43.2	13	1	3	24	11.3	8	
Kanpur	680	289	22.2	..	1	..	98	23	31	5	..	274	21.0	79	
Kanpur	40	24	27.4	4	..	1	10	13.0	3	
Kanpur	143	55	31.0	22	..	5	28	13.4	10	
Lucknow	467	75	30.7	34	5	18	20	23.4	21	
Matheran	
Matheran	172	108	32.7	10	..	11	1	..	32	30.7	7	
Matheran	92	37	21.0	5	1	2	1	..	19	10.8	8	
Matheran	160	120	39.1	19	8	5	50	10.3	9	
Matheran	53	34	18.4	7	11	8.4	2	
Matheran	45	13	19.8	7	1	2	19	23.0	7	
Matheran	145	12	4.3	2	..	2	6	2.2	..	
Matheran	151	72	24.9	34	38	13.1	10	
Matheran	63	66	34.6	..	2	..	13	3	8	1	..	26	21.5	7	
Matheran	99	55	29.0	15	1	2	20	10.5	8	
Matheran	47	19	21.1	6	9	10.0	2	
TOTAL	4,863	2,683	28.8	2	4	..	408	85	211	10	1,268	13.6	314		

West Bengal*Return not received.***STATES—(Part B)**

Jammu & Kashmir }
Madhya Bharat }

*Return not received.***Mysore State**

Bangalore City	862	512	30.9	—	—	—	5	54	08	—	286	17.4	—
Davanagere	62	36	42.4	—	—	—	—	—	1	—	8	9.4	—
Kolar Gold Fields	165	133	41.8	—	—	—	7	9	4	—	55	17.3	—
Mysore City	266	142	27.8	—	—	—	7	4	1	1	59	11.5	—
TOTAL	1,355	823	31.0	—	—	—	19	67	74	1	410	15.7	—

PEPSU*Return not received.*

Patna City	163	42	21.2	—	1	—	10	1	5	—	38	19.2	13
Malerkotla City	33	14	22.1	—	—	—	2	—	—	—	2	3.2	—
Bhatinda	30	21	30.3	—	—	—	1	—	—	—	1	1.4	—
TOTAL	172	77	23.3	—	1	—	13	1	5	—	41	12.4	13

Rajasthan

Kotah	67	15	11.6	—	—	—	7	—	2	—	10	7.8	1
Ganganagar	41	12	15.2	—	—	—	3	—	—	2	10	12.7	4
Alwar	59	8	7.1	—	—	—	4	—	—	—	12	10.6	—
Jaipur	318	47	8.0	—	—	—	24	—	18	—	58	9.3	23
Udaipur	97	8	4.3	—	—	—	5	—	2	—	7	3.8	2
Tonk	44	6	7.1	—	—	—	1	—	1	—	5	5.9	1
Bikaner	47	5	5.5	—	—	—	3	—	—	—	3	3.3	1
Bikaner	117	60	26.6	—	—	—	3	3	9	—	21	9.3	2
TOTAL	790	161	10.6	—	—	—	50	3	32	2	126	8.3	34

Saurashtra*Return not received.*

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 11th July, 1953—contd.

Town	Mid-year Popn.-Est. (000)	Deaths from:—											Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Travancore-Cochin		Return not received.													
ARREAR RETURNS															
West Bengal		For w/e the 20th June, 1953													
Asansol†															
Baidyabati	32	8	13.0	—	—	—	—	—	—	—	1	1.6	..		
Bally	63	6	5.0	—	—	—	—	—	—	—	3	2.5	1		
Bankura	49	15	16.0	—	—	—	—	—	—	1	5	5.3	—		
Baranagar	83	28	17.6	2	—	—	2	—	5	—	20	12.6	—		
Basirhat	37	7	9.9	4	—	—	—	2	—	—	8	11.3	..		
Berhampur	59	22	19.4	2	—	—	1	—	3	—	12	10.6	1		
Bhadreswar	33	9	14.2	—	—	—	—	—	—	—	1	1.6	..		
Bhatpara	138	25	9.4	—	—	—	8	—	3	2	35	13.2	6		
Budge-Budge †															
Burdwan	78	8	5.3	—	—	—	3	1	2	—	11	7.4	..		
Calcutta	2,825	1,003	18.5	203	3	—	65	100	123	3	849	15.7	188		
Chandani	39	6	8.0	—	—	—	—	—	—	—	2	2.7	..		
English Bazar†															
Graden Reach	116	20	9.0	1	—	—	2	2	2	—	15	6.7	5		
Halisahar	38	5	6.9	—	—	—	—	—	—	—	4	5.5	..		
Hooghly-Chinsura	58	64	57.3	1	—	—	1	2	1	—	16	14.4	6		
Howrah	458	129	14.7	17	—	—	9	28	46	—	173	19.7	61		
Jalpaiguri †															
Kamarhati †															
Kanchrapara	64	10	8.1	—	—	—	—	—	—	—	—	—	..		
Krishnagar	52	1	1.0	—	—	—	—	—	—	—	2	2.0	1		
Midnapore	44	23	27.3	—	—	—	1	—	1	—	10	11.9	1		
Nabadwip	62	26	21.9	1	—	—	6	—	1	—	11	9.3	..		
Nalhati	58	6	5.4	—	—	—	2	—	—	—	4	3.6	..		
North Barrackpur	34	5	7.7	1	—	—	1	—	—	—	2	3.1	..		
Panihati	53	8	2.7	—	—	—	—	—	—	—	2	1.8	..		
Shantipur	46	14	15.9	—	—	—	—	—	—	—	1	1.1	..		
Serampore	78	39	26.1	1	—	—	3	7	2	1	20	13.4	10		
Siliguri	37	5	7.0	—	—	—	—	—	—	—	—	—	—		
South Dum-Dum†															
South Suburban	112	14	6.5	5	—	—	1	6	2	—	19	8.8	6		
Titagarh	74	31	21.8	—	—	—	17	—	2	—	29	16.2	0		
TOTAL	4,825	1,532	16.6	243	3	—	122	148	193	7	1,249	13.5	292		

Saurashtra															
For w/e the 20th June, 1953.															
Bhavnagar	146	33	11.8	—	—	—	16	—	3	—	37	13.2	7		
Dhoraji	45	34	39.3	—	—	—	3	—	5	—	10	11.6	..		
Gondal †															
Jamnagar	112	42	19.5	—	—	—	11	2	4	1	25	11.6	7		
Junagadh	64	33	26.8	—	—	—	13	—	1	—	18	14.6	6		
Morvi	42	12	14.9	—	—	—	1	—	—	—	1	1.2	1		
Porbandar	61	14	12.0	—	3	—	15	—	—	—	23	21.3	14		
Rajkot	147	78	27.6	—	—	—	18	1	—	—	32	11.3	15		
Surendranagar	38	9	12.3	—	—	—	—	—	—	—	2	2.7	..		
Veraval	43	6	7.3	—	—	—	3	—	1	—	4	4.8	1		
TOTAL	698	261	19.4	—	3	—	80	3	14	1	164	11.4	51		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; F.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 11th July, 1953—*conold.*

Town	Mid.-year Popn.-Est. (000)	B.	Deaths from:—										Total	D.R.*	I.D.
			B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Travancore-Cochin			For w/e the 27th June, 1953												
Alleppey	130	70	30.4	2	2	4	..	27	10.8	1		
Changanacherry	38	24	32.8	1	..	1	..	3	4.1	..		
Thiruvananthapuram	63	62	48.8	3	1	1	..	16	12.6	4		
Kottayam	47	50	55.3	2	1	..	1	9	10.0	1		
Mattancherry	78	45	32.0	1	8	5.3	..		
Nagercoil	86	80	48.4	1	..	1	..	10	6.0	1		
Quilon	70	63	46.8	2	2	..	12	8.9	3		
Trichur	73	88	62.7	1	1	2	1	13	9.3	3		
Thiruvandrum city	201	233	60.3	4	4	3	..	29	7.5	3		
TOTAL	789	724	47.7	15	11	14	2	127	8.4	15		
Madhya Bharat			For w/e the 13th June, 1953												
Indore	336	168	26.0	41	2	7	1	128	19.8	49		
Ratlam	69	20	15.2	..	1	..	5	2	4	..	26	19.8	8		
Ujjain	141	24	8.8	13	5	11	..	37	13.6	8		
TOTAL	545	212	20.2	..	1	..	59	9	22	1	191	18.2	65		
Madhya Bharat			For w/e the 20th June, 1953												
Greater Gwalior	265	28	5.7	6	..	2	..	15	3.0	1		
Indore	336	135	20.8	26	1	4	2	94	14.5	31		
Ujjain	141	32	11.8	..	2	..	6	..	9	1	27	9.9	9		
Ratlam	68	12	9.1	..	2	..	6	1	3	..	21		
TOTAL	800	207	13.4	..	4	..	44	2	18	3	157	10.2	43		
Assam															
Shillong For w/e 27-6-53	57	23	21.0	1	2	1.8	..		
Shillong For w/e 4-7-53	57	27	24.6	4	3.7	..		
Madhya Pradesh															
Nagpur For w/e 4-7-53	483	163	17.8	30	3	13	..	91	9.8	14		
Kamptee For w/e 4-7-53	33	13	20.5	6	..	2	..	12	18.9	..		
Khandwa For w/e 4-7-53	53	31	29.3	2	1	2	..	16	15.1	..		
Burhanpur For w/e 4-7-53	74	59	41.4	12	1	3	..	31	21.8	..		
Yeshwantpur For w/e 4-7-53	38	28	38.3	4	..	1	..	15	20.5	5		
Bombay															
Cambay For w/e 27-6-53	40	26	33.8	8	1	12	15.6	3		
Miraj For w/e 6-6-53	42	13	14.0	5	8	9.9	2		
Miraj For w/e 20-6-53	42	17	21.0	1	..	2	..	12	14.8	2		
Miraj For w/e 4-7-53	42	11	13.0	1	..	1	..	12	14.8	2		
Ahmedabad For w/e 13-6-53	832	520	32.5	..	1	..	155	3	41	..	337	21.2	122		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths)

REMARKS

The figures of births and deaths shown in this statement for week ending the 11th July, 1953, relate to 194 towns with an estimated population of 25,267 thousands. The total number of towns is 296 and their population is 36,130 thousands. Thus 66% of the total number of towns representing 70% of the total population is covered in this statement. The numbers of births and deaths recorded in these towns were 14,577 and 6,940 representing birth and death rates of 30.0 and 14.3 per thousand of population respectively.

(A) States (Parts A and C).—The data here relate to 179 towns with an estimated population of 22,950 thousands. Information about Bihar and West Bengal could not be included. The total number of towns is 250 and their population is 30,780 thousands. Thus 72% of the total number of towns representing 75% of the total population is covered. The numbers of births and deaths recorded in these towns were 13,516 and 6,363

representing birth and death rates of 30.6 and 14.4 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(B) States (Part B).—The data here relate to 15 towns with an estimated population of 2,317 thousands. The total number of towns is 46 and their population is 5,350 thousands. Thus 33% of total number of towns representing 43% of total population is covered. The numbers of births and deaths recorded in these towns were 1,061 and 577 representing birth and death rate of 23.8 and 12.9 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 11-7-53		Corresponding w/e last year		Corresponding mean during the previous 5 year period	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Ajmer . . .	20.4	7.1	18.9	6.9	28.5	11.4
Bombay . . .	29.5	14.7	30.3	15.2	30.1	17.1
Delhi . . .	31.0	7.1	29.3	9.5	31.9	13.1
Madhya Pradesh . . .	22.2	12.8	25.1	12.0	30.3	15.1
Madras . . .	36.2	18.3	40.6	22.2	40.8	20.1
Orissa . . .	28.6	14.0	51.7	21.3	41.1	25.1
Punjab (I) . . .	30.6	9.9	34.5	11.4	24.3	12.1
Uttar Pradesh . . .	28.8	13.6	33.1	16.7	30.5	16.1
India (only States Parts A and C).	30.6	14.4	30.3	15.7	28.9	17.1

NEW DELHI, 2 (INDIA); }
The 3rd August 1953. }

K. MITRA,
for Registrar General India.